

# Package ‘IVAS’

September 24, 2025

**Type** Package

**Title** Identification of genetic Variants affecting Alternative Splicing

**Version** 2.29.1

**Author** Seonggyun Han, Sangsoo Kim

**Maintainer** Seonggyun Han <hangost@ssu.ac.kr>

**Description** Identification of genetic variants affecting alternative splicing.

**License** GPL-2

**Depends** R (> 3.0.0), GenomicFeatures, ggplot2, Biobase

**Imports** doParallel, lme4, BiocGenerics, GenomicRanges, IRanges, foreach, AnnotationDbi, S4Vectors, Seqinfo, ggfortify, grDevices, methods, Matrix, BiocParallel, utils, stats

**Suggests** BiocStyle

**biocViews** ImmunoOncology, AlternativeSplicing, DifferentialExpression, DifferentialSplicing, GeneExpression, GeneRegulation, Regression, RNASeq, Sequencing, SNP, Software, Transcription

**git\_url** <https://git.bioconductor.org/packages/IVAS>

**git\_branch** devel

**git\_last\_commit** b0b20bc

**git\_last\_commit\_date** 2025-07-22

**Repository** Bioconductor 3.22

**Date/Publication** 2025-09-23

## Contents

|                           |   |
|---------------------------|---|
| IVAS-package . . . . .    | 2 |
| ASdb-class . . . . .      | 2 |
| calSignificant . . . . .  | 3 |
| CalSigSNP . . . . .       | 3 |
| chrseparate . . . . .     | 4 |
| findAlternative . . . . . | 5 |
| findOversnp . . . . .     | 6 |
| IVAS-deprecated . . . . . | 7 |
| MsqtlFinder . . . . .     | 8 |

|                          |           |
|--------------------------|-----------|
| RatioFromFPKM . . . . .  | 8         |
| sampleexp . . . . .      | 9         |
| samplesnp . . . . .      | 10        |
| samplesnplocus . . . . . | 10        |
| saveBplot . . . . .      | 11        |
| Splicingfinder . . . . . | 12        |
| sqtlfinder . . . . .     | 13        |
| sQTLsFinder . . . . .    | 13        |
| <b>Index</b>             | <b>16</b> |

---

|              |                                                                                 |
|--------------|---------------------------------------------------------------------------------|
| IVAS-package | <i>IVAS : Identification of genomic variants affecting Alternative Splicing</i> |
|--------------|---------------------------------------------------------------------------------|

---

**Description**

The tool is to detect genomic variants affecting the alternative splicing using genotypic and gene expression data(RNA-seq).

---

|            |                                                                                           |
|------------|-------------------------------------------------------------------------------------------|
| ASdb-class | <i>ASdb s4 class - a container for results from functions of the <b>IVAS</b> package.</i> |
|------------|-------------------------------------------------------------------------------------------|

---

**Description**

This class is the main object for storing results of the present package.

**Note**

An ASdb object stores information of alternative splicing patterns, expression ratios between transcripts with and without alternative target exons, and significant sQTLs from the functions of the present package. This ASdb object can be populated further slots during the analysis using functions for the analysis. Typically, an ASdb object can be created when the function [Splicingfinder](#) completes to define alternative splicing patterns. After creation, the ASdb contains the slot labeled as "SplicingModel", and the slot includes a list object named by "ES", "ASS", and "IR" (alternative splicing exons are saved separately in each element of the list based on their splicing pattern types; "ES": Exon skipping, "ASS": Alternative splice site, and "IR": Intron retention). In the next analysis step, further result slots can be added. The function [RatioFromFPKM](#) can add the "Ratio" slot containing expression ratio for each alternative splicing pattern based on the "SplicingModel" slot of the present class and for each individual from a matrix of FPKM values. Then, the result of the [sQTLsFinder](#) function can be saved by adding the "sQTLs" slot including significance of association between the expression ratios, which is stored in the "Ratio" slot of the present class, and SNPs for each alternative splicing exon.

**See Also**

[Splicingfinder](#), [RatioFromFPKM](#), [sQTLsFinder](#)

## Examples

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
data(sampleexp)
data(samplesnp)
data(samplesnplocus)
ASdb <- Splicingfinder(sample.Txdb)
ASdb <- RatioFromFPKM(sample.Txdb,ASdb,sampleexp)
ASdb <- sQTLsFinder(ASdb,samplesnp,samplesnplocus,method="lm")
ASdb
```

---

|                |                   |
|----------------|-------------------|
| calSignificant | <i>Deprecated</i> |
|----------------|-------------------|

---

## Description

This function is deprecated and will be made defunct. Instead, use [Splicingfinder](#).

---

|           |                                    |
|-----------|------------------------------------|
| CalSigSNP | <i>Calculate significance SNPs</i> |
|-----------|------------------------------------|

---

## Description

This function performs linear regression test to identify significance associations between expression ratio and genotypes using the [lm](#) function.

## Usage

```
CalSigSNP(ratio.mat=NULL, snp.mat=NULL, overlapsnp=NULL,
          each.snplocus=NULL, chr, each.gene=NULL, GroupSam=NULL, method="lm")
```

## Arguments

|               |                                                                                                                                                                                                                      |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ratio.mat     | A data frame consisting of expression ratio of an alternatively spliced exon.                                                                                                                                        |
| snp.mat       | A data frame of genotype data.                                                                                                                                                                                       |
| overlapsnp    | A data frame containing SNPs which is within an alternatively spliced exon and its flanking introns.                                                                                                                 |
| each.snplocus | A data frame consisting of locus information of SNP markers in the snpdata.                                                                                                                                          |
| chr           | The chromosome number that you would like to test in this function.                                                                                                                                                  |
| each.gene     | The gene name that you would like to test in this function                                                                                                                                                           |
| GroupSam      | A list object of a group of each sample.                                                                                                                                                                             |
| method        | The option for statistical models and boxplot. ("lm" : analysis using linear regression model, "glm" : analysis using generalized linear mixed model, "both" : "lm" and "glm", and "boxplot" : for writing boxplot). |

**Value**

The lm or glm method returns matrix including; SNP marker IDs, P values, information of differential median values of expression ratio among genotypes ("sig" if differential median > 0.1 and "not sig" otherwise), gene names, and methods ("lm" or "glm"). The boxplot method returns matrix with relative ratio values and genotypes of samples.

**Author(s)**

Seonggyun Han, Sangsoo Kim

**References**

Chambers, J. M. (1992) Linear models. Chapter 4 of Statistical Models in S eds J. M. Chambers and T. J. Hastie, Wadsworth & Brooks/Cole.

**See Also**

[lm](#), [glmer](#)

**Examples**

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
data(sampleexp)
data(samplesnp)
data(samplesnplocus)
ASdb <- Splicingfinder(sample.Txdb)
ASdb <- RatioFromFPKM(sample.Txdb, ASdb, sampleexp, CalIndex="ASS7")
ratio.mat <- slot(ASdb, "Ratio")$ASS
ratio.mat <- rbind(ratio.mat[,grep("NA", colnames(ratio.mat))])
each.snp <- rbind(samplesnp[rownames(samplesnp) == "rs3810232",])
each.snplocus <- rbind(samplesnplocus[samplesnplocus[, "SNP"] == "rs3810232",])
overlapsnp <- rbind(c(snp="rs3810232", locus="54704760"))
CalSigSNP(ratio.mat, as.matrix(each.snp), overlapsnp, each.snplocus, "19", "ENSG00000170889", method="lm")
```

---

chrseparate

---

*Separate a TxDb object based on a chromosome.*


---

**Description**

With the [isActiveSeq](#) method in **GenomicFeatures** package, this function filters the TxDb object in the **GenomicFeatures** package based on a single chromosome.

**Usage**

```
chrseparate(GTFdb = NULL, chrname = NULL)
```

**Arguments**

|         |                                                          |
|---------|----------------------------------------------------------|
| GTFdb   | The TxDb object in the <b>GenomicFeatures</b> package.   |
| chrname | The chromosome number you would like to select from TxDb |

**Value**

This function returns the TxDb limited to the chromosome number that you want.

**Author(s)**

Seonggyun Han, Sangsoo Kim

**References**

Lawrence M, Huber W, Pages H, Aboyoun P, Carlson M, Gentleman R, Morgan M, and Carey V. Software for Computing and Annotating Genomic Ranges. PLoS Computational Biology, 9, e1003118. 2013.

**See Also**

[isActiveSeq](#), [seqinfo](#)

**Examples**

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
filtered.txdb <- chrseparate(sample.Txdb, 19)
```

---

|                 |                                          |
|-----------------|------------------------------------------|
| findAlternative | <i>Find alternative exons of a gene.</i> |
|-----------------|------------------------------------------|

---

**Description**

Search alternative exons among transcript isoforms from a single gene.

**Usage**

```
findAlternative(geneid = NULL, txTable = NULL, totalExrange = NULL,
               totalInrange = NULL, one.chr = NULL)
```

**Arguments**

|              |                                                                                                                                                                       |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| geneid       | Ensembl gene name.                                                                                                                                                    |
| txTable      | The matrix of transcripts including transcript IDs, Ensembl gene names, Ensembl transcript names, transcript start sites, and transcript end sites.                   |
| totalExrange | A list of GRanges objects including total exon ranges in each transcript resulted from the <a href="#">exonsBy</a> function in <b>GenomicFeatures</b> .               |
| totalInrange | A list of GRanges objects including total intron ranges in each transcript resulted from the <a href="#">intronsByTranscript</a> function in <b>GenomicFeatures</b> . |
| one.chr      | The chromosome number that you would like to test                                                                                                                     |

**Value**

|             |                                                                                                                                                               |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| alterIntron | A GRanges object with flanking introns of alternative exons                                                                                                   |
| tableBygene | An information table of transcripts including transcript IDs, Ensembl gene names, Ensembl transcript names, transcript start sites, and transcript end sites. |
| exonRange   | All exons locus of a gene                                                                                                                                     |
| intronRange | All intron locus of a gene                                                                                                                                    |

**Author(s)**

Seonggyun Han, Sangsoo Kim

**References**

Lawrence M, Huber W, Pages H, Aboyoun P, Carlson M, Gentleman R, Morgan M, and Carey V. Software for Computing and Annotating Genomic Ranges. PLoS Computational Biology, 9, e1003118. 2013.

**See Also**

[GRanges](#), [IRanges](#)

**Examples**

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
filtered.txdb <- chrseparate(sample.Txdb,19)
trans.exon.range <- exonsBy(filtered.txdb,by="tx")
trans.intron.range <- intronsByTranscript(filtered.txdb)
txTable <- select(filtered.txdb, keys=names(trans.exon.range),
                  columns=c("TXID", "TXNAME", "GENEID", "TXSTART", "TXEND"), keytype="TXID")
Altvalue <- findAlternative("ENSG00000170889", txTable, trans.exon.range, trans.intron.range, 19)
```

---

|             |                                                                                  |
|-------------|----------------------------------------------------------------------------------|
| findOversnp | <i>Find SNPs which belong to alternative exons and flanking introns of them.</i> |
|-------------|----------------------------------------------------------------------------------|

---

**Description**

Find SNPs which belong to alternative exons and flanking introns of them.

**Usage**

```
findOversnp(altInvalue = NULL, snprange = NULL)
```

**Arguments**

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| altInvalue | A list data set from the <a href="#">findAlternative</a> function. |
| snprange   | A matrix of SNP ranges.                                            |

**Value**

This function returns a matrix with SNPs which are located in alternative exons and flanking introns and ranges of those SNPs.

**Author(s)**

Seonggyun Han, Sangsoo Kim

**See Also**

[findOverlaps](#)

**Examples**

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
data(samplesnplocus)
data(samplesnp)
filtered.txdb <- chrseparate(sample.Txdb,19)
trans.exon.range <- exonsBy(filtered.txdb,by="tx")
trans.intron.range <- intronsByTranscript(filtered.txdb)
txTable <- select(filtered.txdb, keys=names(trans.exon.range),
                  columns=c("TXID","TXNAME","GENEID","TXSTART","TXEND"), keytype="TXID")
ch.snp.locus <- as.matrix(samplesnplocus[samplesnplocus[,2] == 19,])
ch.snps <- matrix(ch.snp.locus[is.element(ch.snp.locus[,1],rownames(samplesnp))],,ncol=3,byrow=FALSE)
ch.snps.range <- GRanges(seqnames=Rle(19),ranges=IRanges(start=as.integer(ch.snps[,3]),
                                                         end=as.integer(ch.snps[,3])),
Altvalue <- findAlternative("ENSG00000170889",txTable,trans.exon.range,trans.intron.range,19)
overlapsnp <- findOversnp(Altvalue,ch.snps.range)
```

---

IVAS-deprecated

*Deprecated functions in package 'IVAS'*


---

**Description**

These functions are provided for compatibility with older versions of 'IVAS' only, and will be defunct at the next release.

**Details**

The following functions are deprecated and will be made defunct; use the replacement indicated below:

- MsqtlFinder: [sQTLsFinder](#)
- sqtlfinder: [sQTLsFinder](#)
- calSignificant: [Splicingfinder](#)

---

|             |                   |
|-------------|-------------------|
| MsqtlFinder | <i>Deprecated</i> |
|-------------|-------------------|

---

### Description

This function is deprecated and will be made defunct. Instead, use [sQTLsFinder](#).

---

|               |                                            |
|---------------|--------------------------------------------|
| RatioFromFPKM | <i>Estimate relative expression ratio.</i> |
|---------------|--------------------------------------------|

---

### Description

With the FPKM expression data set of transcripts, this function estimates relative expression ratio between transcripts with and without alternatively spliced exons based on splicing models of the ASdb object

### Usage

```
RatioFromFPKM(GTFdb = NULL, ASdb = NULL,
              Total.expdata = NULL, CalIndex = NULL, Ncor = 1, out.dir = NULL)
```

### Arguments

|               |                                                                                                |
|---------------|------------------------------------------------------------------------------------------------|
| GTFdb         | A TxDb object in the <b>GenomicFeatures</b> package.                                           |
| ASdb          | A ASdb object including "SplicingModel" slot from the <a href="#">Splicingfinder</a> function. |
| Total.expdata | A data frame of expression data.                                                               |
| CalIndex      | An index number in the ASdb object which will be tested in this function.                      |
| Ncor          | The number of cores for multi-threads function.                                                |
| out.dir       | An output directory.                                                                           |

### Value

ASdb with the slot (labeled by "Ratio") containing results from the the [RatioFromFPKM](#) function. The "Ratio" slot contains a list object and each element of the list object returns the results assigned to three elements, which is of each alternative splicing type (i.e. Exon skipping, Alternative splice site, Intron retention). Three elements are as follows;

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ES  | A data frame for the result of Exon skipping, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome name), 1stEX (alternatively spliced target exon), 2ndEX (second alternatively spliced target exon which is the other one of the mutually exclusive spliced exons), DownEX (downstream exon range), UpEX (upstream exon range), Types (splicing type), and names of individuals. |
| ASS | A data frame for the result of Alternative splice sites, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome name), ShortEX (shorter spliced target exon), LongEX (longer spliced target exon), NeighborEX (neighboring down or upstream exons), Types (splicing type), and names of individuals.                                                                                 |



**IR** A data frame for the result of Intron retention, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome name), RetainEX (retained intron exon), DownEX (downstream exon range), UpEX (upstream exon range), Types (splicing type), and names of individuals.

### Author(s)

Seonggyun Han, Sangsoo Kim

### See Also

[isActiveSeq](#), [seqinfo](#), [Splicingfinder](#)

### Examples

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
data(sampleexp)
ASdb <- Splicingfinder(sample.Txdb)
ASdb <- RatioFromFPKM(sample.Txdb, ASdb, sampleexp)
```

---

|           |                            |
|-----------|----------------------------|
| sampleexp | <i>CEU expression data</i> |
|-----------|----------------------------|

---

### Description

CEU expression data including 78 individuals

### Usage

```
data("sampleexp")
```

### Format

A data frame with 64 transcript expressions on the 78 individuals

### Value

A data frame with 64 transcript expressions on the 78 individuals

### Source

The data was generated by GEUVADIS (Genetic European Variation in Health and Disease, A European Medical Sequencing Consortium) RNA sequencing project for 1000 Genomes samples (<http://www.geuvadis.org/web/geuvadis/RNAseq-project>).

### References

Tuuli Lappalainen, et al. (2013). Transcriptome and genome sequencing uncovers functional variation in humans. *Nature* 501, 506-511.

### Examples

```
data(sampleexp)
```

---

|           |                          |
|-----------|--------------------------|
| samplesnp | <i>CEU genotype data</i> |
|-----------|--------------------------|

---

**Description**

CEU genotype data including 78 individuals

**Usage**

```
data("samplesnp")
```

**Format**

A data frame with 11 SNPs on the 78 individuals

**Value**

A data frame with 11 SNPs on the 78 individuals

**Source**

The data has 1000 genomes Phages 1 dataset and was imputed by GEUVADIS (Genetic European Variation in Health and Disease, A European Medical Sequencing Consortium) RNA sequencing project for 1000 Genomes samples (<http://www.geuvadis.org/web/geuvadis/RNAseq-project>).

**References**

Tuuli Lappalainen, et al. (2013). Transcriptome and genome sequencing uncovers functional variation in humans. *Nature* 501, 506-511.

**Examples**

```
data(samplesnp)
```

---

|                |                 |
|----------------|-----------------|
| samplesnplocus | <i>snplocus</i> |
|----------------|-----------------|

---

**Description**

snplocus

**Usage**

```
data("samplesnplocus")
```

**Format**

A data frame with 11 SNPs and locus of them

**Value**

A data frame with 11 SNPs and locus of them

**Examples**

```
data(samplesnplocus)
```

---

|           |                      |
|-----------|----------------------|
| saveBplot | <i>Save boxplots</i> |
|-----------|----------------------|

---

**Description**

Save boxplots

**Usage**

```
saveBplot(ASdb=ASdb, Total.snpdata=NULL, Total.snplocus=NULL,
          CalIndex=NULL, out.dir=NULL)
```

**Arguments**

ASdb                    A ASdb object including "sQTLs" slot from the [sQTLsFinder](#) function.  
 Total.snpdata        A data frame of genotype data.  
 Total.snplocus       A data frame containing locus information of SNP markers in the snpdata.  
 CalIndex             An index number in the ASdb object which will be tested in this function.  
 out.dir              An output directory.

**Value**

This function draws the boxplot

**Author(s)**

Seonggyun Han, Sangsoo Kim

**See Also**

[boxplot](#)

**Examples**

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
data(sampleexp)
data(samplesnp)
data(samplesnplocus)
ASdb <- Splicingfinder(sample.Txdb)
ASdb <- RatioFromFPKM(sample.Txdb, ASdb, sampleexp)
ASdb <- sQTLsFinder(ASdb, samplesnp, samplesnplocus, method="lm")
saveBplot(ASdb=ASdb, Total.snpdata=samplesnp, Total.snplocus=samplesnplocus, CalIndex="ASS7", out.dir="./res")
```

---

Splicingfinder

*Find alternatively spliced exons*


---

## Description

Find alternatively spliced exons based on GTF reference transcript models.

## Usage

```
Splicingfinder(GTFdb = NULL , txTable = NULL , calGene = NULL , Ncor = 1 , out.dir = NULL)
```

## Arguments

|         |                                                                                                                                                                                                   |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GTFdb   | A TxDb object in the <b>GenomicFeatures</b> package.                                                                                                                                              |
| txTable | A matrix of transcripts including transcript IDs, gene names, transcript names, transcript start sites, and transcript end sites based on a GTF reference transcript model file.                  |
| calGene | An interest of a gene that will be tested. If calGene is inputted by a single gene, the splicing pattern for the only gene is tested. If not, the splicing patterns for total of genes are tested |
| Ncor    | The number of cores for multi-threads.                                                                                                                                                            |
| out.dir | An output directory.                                                                                                                                                                              |

## Value

ASdb with the slot (labeled by "SplicingModel") containing results from the the [Splicingfinder](#) function. The "Splicingfinder" slot contains a list object and each element of the list object returns the results assigned to three elements, which is of each alternative splicing type (i.e. Exon skipping, Alternative splice site, Intron retention). Three elements are as follows;

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ES  | A data frame for the result of Exon skipping, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome name), 1stEX (alternatively spliced target exon), 2ndEX (second alternatively spliced target exon which is the other one of the mutually exclusive spliced exons), DownEX (downstream exon range), UpEX (upstream exon range), 1st_des (alternatively spliced target exons in a representative exon), 2nd_des (second alternatively spliced target exons in a representative exon), Do_des (downstream exons in a representative exon), Up_des (upstream exons in a representative exon), and Types (splicing type). |
| ASS | A data frame for the result of Alternative splice site, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome nam), ShortEX (shorter spliced target exon), LongEX (longer spliced target exon), NeighborEX (neighboring down or upstream exons), Short_des (shorter spliced target exons in a representative exon), Long_des (longer spliced target exons in a representative exon), Neighbor_des (neighboring down or upstream exons in a representative exon), and Types (splicing type).                                                                                                                              |

IR                    A data frame for the result of Intron retention, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome name), RetainEX (retained intron exon), DownEX (downstream exon range), UpEX (upstream exon range), Retain\_des (retained intron exons in a representative exon), Do\_des (downstream exons in a representative exon), Up\_des (upstream exons in a representative exon), and Types (splicing type).

Author(s)

Seonggyun Han, Sangsoo Kim

See Also

[isActiveSeq](#), [seqinfo](#)

Examples

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
ASdb <- Splicingfinder(sample.Txdb)
```

---

|            |                   |
|------------|-------------------|
| sqtlfinder | <i>Deprecated</i> |
|------------|-------------------|

---

Description

This function is deprecated and will be made defunct. Instead, use [sQTLsFinder](#).

---

|             |                    |
|-------------|--------------------|
| sQTLsFinder | <i>Find SQTLs.</i> |
|-------------|--------------------|

---

Description

Find significant SNPs using the calSignificant function.

Usage

```
sQTLsFinder(ASdb, Total.snpdata = NULL , Total.snplocus = NULL ,
  GroupSam = NULL , method = "lm" , CalIndex = NULL , Ncor = 1 , out.dir = NULL)
```

## Arguments

|                |                                                                                                                                                                                                                   |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ASdb           | A ASdb object including "SplicingModel" and "Ratio" slots from the <a href="#">Splicingfinder</a> and <a href="#">RatioFromFPKM</a> funtions, respectively.                                                       |
| Total.snpdata  | A data frame of genotype data.                                                                                                                                                                                    |
| Total.snplocus | A data frame containing locus information of SNP markers in the snpdata.                                                                                                                                          |
| GroupSam       | A list object of a conditions for each individual. If GroupSam is not NULL, the odds ratio and its confidence intervals between conditions are calculated.                                                        |
| method         | An option for statistical models and boxplot.("lm" : analysis using linear regression model, "glm" : analysis using generalized linear mixed model, "both" : "lm" and "glm",and "boxplot" : for writing boxplot). |
| CalIndex       | An index number in the ASdb object which will be tested in this function.                                                                                                                                         |
| Ncor           | The number of cores for multi-threads function.                                                                                                                                                                   |
| out.dir        | An output directory.                                                                                                                                                                                              |

## Value

ASdb with the slot (labeled by "sQTLs") containing results from the the [sQTLsFinder](#) function. The "Splicingfinder" slot contains a list object and each element of the list object returns the results assigned to three elements, which is of each alternative splicing type (i.e. Exon skipping, Alternative splice site, Intron retention). Three elements are as follows;

|     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ES  | A data frame for the result of Exon skipping, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome name), 1stEX (alternatively spliced target exon), 2ndEX (second alternatively spliced target exon which is the other one of the mutually exclusive spliced exons), DownEX (downstream exon range), UpEX (upstream exon range), Types (splicing type), pByGeno (P-values of "lm" or "glm" test for association PSI values and genotypes), FdrByGeno (pByGeno), diff ("diff" if differential median > 0.1 and "Nondiff" otherwise), pByGroups (P-values of chi-square test for association between genotypes of two groups), fdrByGroups (FDR values for the pByGroups column), OR (odds ratio), lowCI(low confidence interval), highCI(high confidence interval), and methods ("lm" or "glm"). |
| ASS | A data frame for the result of Alternative splice sites, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome nam), ShortEX (shorter spliced target exon), LongEX (longer spliced target exon), NeighborEX (neighboring down or upstream exons), Types (splicing type), pByGeno (P-values of "lm" or "glm" test for association PSI values and genotypes), FdrByGeno (pByGeno), diff ("diff" if differential median > 0.1 and "Nondiff" otherwise), pByGroups (P-values of chi-square test for association between genotypes of two groups), fdrByGroups (FDR values for the pByGroups column), OR (odds ratio), lowCI(low confidence interval), highCI(high confidence interval), and methods ("lm" or "glm").                                                                                  |
| IR  | A data frame for the result of Intron retention, consisting of the columns named as follows; Index (index number), EnsID (gene name), Nchr (chromosome name), RetainEX (retained intron exon), DownEX (downstream exon range), UpEX (upstream exon range), Types (splicing type), pByGeno (P-values of "lm" or "glm" test for association PSI values and genotypes), FdrByGeno (pByGeno), diff ("diff" if differential median > 0.1 and "Nondiff" otherwise), pByGroups (P-values of chi-square test for association between genotypes of two groups), fdrByGroups (FDR values for the pByGroups column), OR (odds ratio), lowCI(low                                                                                                                                                                                                              |

confidence interval), highCI(high confidence interval), and methods ("lm" or "glm").

The boxplot method returns matrix data with relative ratio values and genotypes of samples.

**Author(s)**

Seonggyun Han, Sangsoo Kim

**References**

Chambers, J. M. (1992) Linear models. Chapter 4 of Statistical Models in S eds J. M. Chambers and T. J. Hastie, Wadsworth & Brooks/Cole. Breslow, N.E. Clayton, D.G. (1993). Approximate Inference in Generalized Linear Mixed Models. Journal of the American Statistical Association 88.

**See Also**

[lm](#), [glmer](#)

**Examples**

```
sampleDB <- system.file("extdata", "sampleDB", package="IVAS")
sample.Txdb <- loadDb(sampleDB)
data(sampleexp)
data(samplesnp)
data(samplesnplocus)
ASdb <- Splicingfinder(sample.Txdb)
ASdb <- RatioFromFPKM(sample.Txdb,ASdb,sampleexp)
ASdb <- sQTLsFinder(ASdb,samplesnp,samplesnplocus,method="lm")
```

# Index

- \* **datasets**
  - sampleexp, [9](#)
  - samplesnp, [10](#)
  - samplesnplocus, [10](#)
- \* **package**
  - IVAS-package, [2](#)
- ASdb-class, [2](#)
- boxplot, [11](#)
- calSignificant, [3](#)
- CalSigSNP, [3](#)
- chrseparate, [4](#)
- exonsBy, [5](#)
- findAlternative, [5](#), [6](#)
- findOverlaps, [7](#)
- findOversnp, [6](#)
- glmer, [4](#), [15](#)
- GRanges, [6](#)
- intronsByTranscript, [5](#)
- IRanges, [6](#)
- isActiveSeq, [4](#), [5](#), [9](#), [13](#)
- IVAS (IVAS-package), [2](#)
- IVAS-deprecated, [7](#)
- IVAS-package, [2](#)
- lm, [3](#), [4](#), [15](#)
- MsqtlFinder, [8](#)
- RatioFromFPKM, [2](#), [8](#), [8](#), [14](#)
- sampleexp, [9](#)
- samplesnp, [10](#)
- samplesnplocus, [10](#)
- saveBplot, [11](#)
- seqinfo, [5](#), [9](#), [13](#)
- Splicingfinder, [2](#), [3](#), [7–9](#), [12](#), [12](#), [14](#)
- sqtlfinder, [13](#)
- sQTLsFinder, [2](#), [7](#), [8](#), [11](#), [13](#), [13](#), [14](#)