

# geneplast.data

January 28, 2026

---

|                           |                                                                                                    |
|---------------------------|----------------------------------------------------------------------------------------------------|
| <code>make.cogdata</code> | <i>Parse orthogroups tabular output from OrthoFinder into a ‘cogdata’ data frame for geneplast</i> |
|---------------------------|----------------------------------------------------------------------------------------------------|

---

## Description

Parse orthogroups tabular output from OrthoFinder into a ‘cogdata’ data frame for geneplast

## Usage

```
make.cogdata(file)
```

## Arguments

|                   |                                      |
|-------------------|--------------------------------------|
| <code>file</code> | OrthoFinder orthogroups tabular file |
|-------------------|--------------------------------------|

## Value

cogdata data frame

## Author(s)

Leonardo RS Campos

---

|                |                                                 |
|----------------|-------------------------------------------------|
| make.phyloTree | <i>Build a 'phyloTree' object for geneplast</i> |
|----------------|-------------------------------------------------|

---

**Description**

This function has two optional arguments that define its behavior depending on which one is provided. Given a list of species' NCBI Taxonomy IDs, 'make.phyloTree()' builds a phylogenetic tree by merging the TimeTree and NCBI Taxonomy databases. If given a newick file, it simply forwards the argument to [treeio::read.newick()].

**Usage**

```
make.phyloTree(sspids = NULL, newick = NULL, verbose = TRUE)
```

**Arguments**

|         |                                                                                |
|---------|--------------------------------------------------------------------------------|
| sspids  | a vector or data frame containing NCBI Taxon IDs from the species of interest. |
| newick  | a phylogenetic tree in Newick format.                                          |
| verbose | a logical value specifying whether or not to display detailed messages.        |

**Value**

An object of class "phylo".

**Author(s)**

Danilo O Imparato  
Leonardo RS Campos

# Index

`make.cogdata`, [1](#)  
`make.phyloTree`, [2](#)