

# hgu133a2frmavecs

September 24, 2025

---

|                     |                                                       |
|---------------------|-------------------------------------------------------|
| hgu133a2barcodevecs | <i>Vectors used by barcode function for hgu133a2.</i> |
|---------------------|-------------------------------------------------------|

---

## Description

Parameters of the background distribution for use with the barcode function. These correspond to version 3.0 of the Gene Expression Barcode website.

## Usage

```
data(hgu133a2barcodevecs)
```

## Format

A list with 3 elements.

|         |                                |
|---------|--------------------------------|
| mu      | background means               |
| tau     | background standard deviations |
| entropy | observed gene entropy          |

## Examples

```
data(hgu133a2barcodevecs)  
str(hgu133a2barcodevecs)
```

---

|                  |                                           |
|------------------|-------------------------------------------|
| hgu133a2frmavecs | <i>Vectors used by fRMA for hgu133a2.</i> |
|------------------|-------------------------------------------|

---

**Description**

Frozen parameter vectors for use with the frma and GNUMSE functions.

**Usage**

```
data(hgu133a2frmavecs)
data(hgu133a2hsentrezgfrmavecs)
```

**Format**

A list with 6 or 7 elements.

|                 |                                                       |
|-----------------|-------------------------------------------------------|
| normVec         | normalization vector                                  |
| probeVec        | probe effect vector                                   |
| probeVarWithin  | within batch probe variance                           |
| probeVarBetween | between batch probe variance                          |
| probesetSD      | within probeset standard deviation                    |
| medianSE        | median standard error for gene expression estimates   |
| version         | the Entrez Gene alternative CDF version if applicable |

**Examples**

```
data(hgu133a2frmavecs)
str(hgu133a2frmavecs)
```

# Index

## \* **datasets**

hgu133a2barcodevecs, [1](#)

hgu133a2frmavecs, [2](#)

hgu133a2barcodevecs, [1](#)

hgu133a2frmavecs, [2](#)

hgu133a2hsentrezgfrmavecs  
(hgu133a2frmavecs), [2](#)