Package 'colonCA'

March 6, 2025

| Title exprSet for Alon et al. (1999) colon cancer data |
|---|
| Version 1.48.0 |
| Author Sylvia Merk |
| Description exprSet for Alon et al. (1999) colon cancer data |
| Maintainer W Sylvia Merk <sylvia.merk@ukmuenster.de></sylvia.merk@ukmuenster.de> |
| License LGPL |
| Depends Biobase (>= 2.5.5) |
| biocViews ExperimentData, Tissue, CancerData, ColonCancerData, MicroarrayData, TissueMicroarrayData |
| git_url https://git.bioconductor.org/packages/colonCA |
| git_branch RELEASE_3_20 |
| git_last_commit 1dc3ed6 |
| git_last_commit_date 2024-10-29 |
| Repository Bioconductor 3.20 |
| Date/Publication 2025-03-06 |
| Contents |
| Index |
| |
| colonCA Data from the microarray experiment done by Alon et al. (1999) |
| Description |
| The data package contains an exprSet instance for the Alon et al. (1999) colon cancer data. 6 samples (40 tumor samples, 22 normal samples) from colon-cancer patients were analyzed with a Affymetrix oligonucleotide Hum6000 array. |
| Usage |
| data(colonCA) |

2 colonCA

Format

Expression set with 2000 genes and 62 samples.

There are 3 covariates listed.

• expNr: Number of sample.

• samp: Sample code.

positive: Normal tissue, negative: Tumor tissue

• class: Tissue identity.

n: Normal tissue, t: Tumor tissue

Details

40 samples are from tumors (labelled as "negative") and 22 samples are from normal (labelled as "positive") biopsies from healthy parts of the colons of the same patients.

Two thousand out of around 6500 genes were selected based on the confidence in the measured expression levels (for details refer to publication). No further preprocessing (normalization etc.) was done.

Note: the featureNames in this dataset were not unique when submitted; make.names(unique=TRUE) was run and some featureNames have suffix .1, .2, etc. added to establish uniqueness.

Source

http://microarray.princeton.edu/oncology/affydata/index.html

References

U. Alon et al. (1999): Broad patterns of gene expression revealed by clustering analysis of tumor and normal colon tissue probed by oligonucleotide arrays. *Proc. Natl. Acad. Sci. USA* **96**, 6745-6750

Examples

```
library(Biobase)
data(colonCA)
xx <- exprs(colonCA)
dim(xx)
xx[1:5,1:5]

colonCA$class
featureNames(colonCA)[1:20]
colnames(xx) <- as.character(colonCA$class)
xx[1:5,1:5]</pre>
```

Index

```
* datasets
colonCA, 1
colonCA, 1
```