## Package 'tissueTreg'

March 20, 2025

Title TWGBS and RNA-seq data from tissue T regulatory cells from mice

**Version** 1.26.0

Author Charles Imbusch [aut, cre], Michael Delacher [aut], Markus Feuerer [aut], Benedikt Brors [aut]

Maintainer Charles Imbusch <c.imbusch@dkfz.de>

Description The package provides ready to use epigenomes (obtained from TWGBS) and transcriptomes (RNA-seq) from various tissues as obtained in the study (Delacher and Imbusch 2017, PMID: 28783152).
 Regulatory T cells (Treg cells) perform two distinct functions: they maintain self-tolerance, and they support organ homeostasis by differentiating into specialized tissue Treg cells. The underlying dataset characterises the epigenetic and transcriptomic modifications for specialized tissue Treg cells.

**Depends** R (>= 3.5)

License GPL (>= 2)

Encoding UTF-8

LazyData true

Suggests BiocStyle, knitr, rmarkdown, testthat, ExperimentHub, bsseq, SummarizedExperiment, ggplot2, reshape2

VignetteBuilder knitr

biocViews ExperimentData, Tissue, Mus\_musculus\_Data, SequencingData, RNASeqData

URL https://github.com/cimbusch/tissueTreg

RoxygenNote 6.0.1

git\_url https://git.bioconductor.org/packages/tissueTreg

git\_branch RELEASE\_3\_20

git\_last\_commit c2e0239

git\_last\_commit\_date 2024-10-29

**Repository** Bioconductor 3.20

Date/Publication 2025-03-20

#### tissueTreg

### Contents

	tissueTreg	 	 •	•		•	 •	•	 •	•	•	•	 •	•	 •	•	 	•	• •	•	2	2
Index																					3	3

tissueTreg

Epigenomes and transcriptomes of tissue resident regulatory T cells

#### Description

The package provides ready to use epigenomes (obtained from TWGBS) and transcriptomes (RNAseq) from various tissues. Regulatory T cells (Treg cells) perform two distinct functions: they maintain self-tolerance, and they support organ homeostasis by differentiating into specialized tissue Treg cells. The underlying dataset characterises the epigenetic and transcriptomic modifications for specialized tissue Treg cells.

#### Source

Delacher, M, Imbusch, CD, Weichenhan, D, Breiling, A, Hotz-Wagenblatt, A, Träger, U, Hofer, AC, Kägebein, D, Wang, Q, Frauhammer, F, Mallm, JP, Bauer, K, Herrmann, C, Lang, PA, Brors, B, Plass, C, Feuerer, M (2017). Genome-wide DNA-methylation landscape defines specialization of regulatory T cells in tissues. Nat. Immunol., 18, 10:1160-1172.

#### Examples

```
eh <- ExperimentHub::ExperimentHub()</pre>
```

```
# RNA-seq RPKM data:
se_rpkms <- eh[["EH1074"]]
# Whole genome bisulfite sequencing data as bsseq objects:
tregs_per_sample <- eh[["EH1072"]]
tregs_per_tissue <- eh[["EH1073"]]</pre>
```

2

# Index

\* datasets
 tissueTreg, 2

tissueTreg, 2