

The following table summarizes all ved commands:

Key Label		CTRL	ESC CTRL	ALT set mark first	ALT ESC set mark first
	@	where from top	where from bot	where mark from top	where mark from bot
←	A	start of line	start of para	start of line	start of para
F2	B	go to beginning	go to bottom	go to beginning	go to bottom
F1	C	exit [+save file buffer]	save file buffer	~	~
F3	D	delete char	delete words	~	~
→	E	end of line	end of para	end of line	end of para
→	F	forward char	forward word	forward char	forward word
F11	G	get file	change file	edit macro file	~
←	H	back char	back word	back char	back word
TAB	I	tab	~	tab	~
NL	J	insert new line	~	jump to mark	switch mark and cursor
F4	K	kill line	kill para	kill selection	~
	L	re-display	adjust window	curr line → top	~
CR	M	insert new line	change modes	sets mark	~
↓	N	down line	down para	down line	down para
F5	O	open line	~	open line	~
↑	P	up line	up para	up line	up para
	Q	XON	~	~	~
F9	R	forward search	reverse search	forward search	reverse search
	S	XOFF	~	~	~
F6	T	save line	save para	save selection	~
	U	into paste buf	into paste buf	into paste buf	into paste buf
	V	multiply	mult=#	~	~
F7		paste	paste and	replace select	replace select
	W	write file	clear paste buf	with paste buf	clear paste buf
F12	X	XTD	write paste buf	write selection	~
	Y	save char	execute buf	exec selection	~
		into paste buf	save word	~	~
F10	Z	re-search	into paste buf	re-srch	reverse re-srch
ESC	[ESC	reverse re-srch	~	~
]	ALT	~	ALT ESC	~
F8	\	chnge paste buf	ALT ESC	goto tag	pop tag stack
	^	quote char	clr paste buf	~	~
		undo delete	quote to 8 bit	quote to 8bit ctl	quote hex
DEL	DEL	erase char	~	clear mark	~
			erase word	~	~

XTD commands:

Key Label		CTRL	ESC CTRL	ALT set mark first	ALT ESC set mark first
	H	help	~	~	~
	X	execute cmd	~	~	~
	Z	suspend	~	~	~

Special Escape commands:

ESC #	Set mult to # for next command. (# is any number)
ESC %	Search matching parenthesis.
ESC *	Call temporary macro.
ESC :	Introduce colon command.
ESC n	Next Page.
ESC p	Previous Page.
ALT ESC n	Set Mark then next Page.
ALT ESC p	Set Mark then previous Page.

Colon commands:

backup	Backup file (same as ESC ^C)
bind	Print or set command bindings
help	Print colon command help
macro	Set temporary macro

map	Set/view mappings
next	Switch to next file
prev	Switch to previous file
quit	Quit editor (same as ^C)
set	Set parameters
substitute	Substitute pattern
tag	Go to named tag
vhelP	Edit the online help file

Colon **set** commands:

*	autoindent	Set autoindent mode.
	linelen	Set line length to arg.
*	magic	Set magic search mode
*	markwrap	Mark wrapping lines
	optline	Set optimal line number to arg.
	pmargin	Set page margin for scrolling to arg.
	psize	Set page length to arg.
	tabstop	Set tab width to arg.
	taglength	Set number of significant characters for tag search to arg.
	tags	Set tag file search path to arg.
	wrapmargin	Set wrap margin for auto new line to arg.

Commands marked with an asterix are boolean. They may be set to by prepending a to the name.